

BRCO2600Series

BRCO2600Series

CMC

- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆
- ◆

±

- ◆
- ◆
- ◆
- ◆
- ◆

! "

BRCO2600Series

SOT23-3	SOT23-5	DFM
1	2	
3	1	
2	5	
-	3	
-	4	




: > / Part Number

[illegible]







< E F I J ! " # " K + L ' (1) ' / + " M N / 1 / ' (L 1) 0 () ' " M % 1 P L " "







Q R S T ! / Package Dimensions







Q R S T ! / Package Dimensions




BRCO2600Series

- $U V W =$ $=$

BRCO2600Series

Y Z [\] I J ! (^ _) / ` L 2 aL1/(%1L"b1*c)+L"c*1"de"eLc+* f "g*+hL1)&0i



± ± ±

k [l m n o p q / Resistance to Soldering Heat Test Conditions

± W ±

r s t u / Packaging SPEC.

封装形式			
	Units/Reel /	Reels/Inner Box /	Ur
! " # " \$ % &	" ' (((&	) (&	

封装形式			
	Units/Reel 只/卷盘	Reels/Inner Box 卷盘/盒	U
SOT-89	1,000	7	

! " # \$ % & ' # \$ () * + \$			
	Units/Reel /	Reels/Inner Box /	Uni
* + ,) -) # . / \$ 0 /	) (' (((&	) (&	)

v 7 W X / Notices